

PVDF Tubing - Standard Metric Sizes:

ID	ID tol. +/-	OD	OD tol. +/-	W	W/P @ 23°C (bar)	B/P @ 23°C (bar)
1.00	0.10	2.00	0.10	0.50	44	220
2.00	0.10	4.00	0.10	1.00	44	220
2.50	0.10	4.00	0.10	0.75	26	132
3.00	0.10	4.00	0.10	0.50	14	73
4.00	0.10	6.00	0.10	1.00	22	110
5.00	0.15	8.00	0.15	1.50	26	132
6.00	0.10	8.00	0.10	1.00	14	73
8.00	0.10	10.00	0.10	1.00	11	55
9.00	0.15	12.00	0.15	1.50	14	73
10.00	0.15	12.00	0.15	1.00	9	44

W/P-working pressure, B/P=burst pressure

PVDF Tubing - Standard Imperial Sizes:

ID	ID (mm)	ID tol.+/- (mm)	OD	OD (mm)	OD tol. +/- (mm)	W (mm)	W/P @ 23°C (bar)	B/P @ 23°C (bar)
1/32"	0.79	0.10	1/16"	1.59	0.10	0.40	44	222
1/16"	1.59	0.10	1/8"	3.18	0.10	0.79	43	218
1/8"	3.18	0.15	1/4"	6.35	0.15	1.59	44	222
5/32"	3.97	0.15	1/4"	6.35	0.15	1.19	26	131
3/16"	4.76	0.10	1/4"	6.35	0.10	0.79	14	73
1/4"	6.35	0.15	3/8"	9.53	0.15	1.59	22	110
3/8"	9.53	0.20	1/2"	12.70	0.20	1.59	14	73
1/2"	12.70	0.20	5/8"	15.88	0.20	1.59	11	55
5/8"	15.88	0.25	3/4"	19.05	0.25	1.59	8	44
7/8"	22.22	0.30	1"	25.40	0.30	1.59	6	31

W/P-working pressure, B/P=burst pressure

Although the size range above satisfies most applications, many more sizes and custom dimensions are possible to suit your specific needs.